




HYDROBRAKE MANHOLE LIMITING
OUTFLOW TO 3.3 l/s AT A DESIGN
HEAD OF 1.7 m.
CHANNEL DRAIN AT LOWEST
GROUND LEVEL UPSTREAM OF
HYDROBRAKE WILL FLOOD FIRST.

LIDL Glenageary

An Post
Glenageary Delivery Office

**AECOM**

PROJECT

GLENAGEARY GATE LRD, AT
JUNCTION OF SALLYNOGGIN
ROAD LOWER AND
GLENAGEARY AVENUE,
GLENAGEARY, CO.DUBLIN

CLIENT

RED ROCK GLENAGEARY LTD

CONSULTANT

AECOM
4th Floor Adelphi Plaza,
George's Street Upper,
Dun Laoghaire,
Co Dublin
Tel:+353 (0)1 2383100
Fax:+353(0)1 2383199
www.aecom.com

NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS, ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
2. ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
3. AECOM LIMITED TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
4. DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.

LEGEND

FLOW EXCEEDANCE ROUTE..... 

PROPOSED RED LINE BOUNDARY..... 

PROPOSED DISHED CHANNEL 

AECOM
PLANNING

ISSUE/REVISION

2	29/09/2023	ISSUED FOR REVISED PLANNING
1	18/04/2023	PLANNING ISSUE
0	10.01.2023	ISSUED FOR LRD MEETING
I/R	DATE	DESCRIPTION

PROJECT NUMBER

60690914

SHEET TITLE

PROPOSED FLOW EXCEEDANCE

SHEET NUMBER

60690914-ACM-00-00-DR-CE-10-0550

ORDNANCE SURVEY IRELAND LICENCE NO CYAL50217544
©ORDNANCE SURVEY IRELAND / GOVERNMENT OF IRELAND

A	PROPOSED FLOW EXCEEDANCE
----------	---------------------------------

0550

Scale: 1:250